



Layout:





Length interior/exterior 3,76/6,50 Width interior/exterior 3,19/4,52 Height interior/exterior 3,15/3,70 Area 18,15 Number of beds 2 Number of bedrooms 1 Kitchen - Transport length 5,68 Transport width 2,28 Transport height 2,33 Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS 0 Inflatable wheels 0 Detachble hook 0 Leveling Feet X Powder coated steel chassis X Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR Vynil flooring X Whoisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS X PVC transport protection X Sturdy round wooden beams fi 100 mm X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	A1 GENERAL	
Width interior/exterior 3,19/4,52 Height interior/exterior 3,15/3,70 Area 18,15 Number of beds 2 Number of bedrooms 1 Number of bathrooms 1 Kitchen - Transport length 5,68 Transport width 2,28 Transport height 2,33 Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS 0 Inflatable wheels 0 Detachble hook 0 Leveling Feet X Powder coated steel chassis X Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 Detachble hook with third wheel 0 Detachble hook with third wheel 0 PVC transport protection X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X Sturdy round wooden beams fi 100 mm X PvC transport protection X	Length interior/exterior	3,76/6,50
Area 18,15 Number of beds 2 Number of bedrooms 1 Number of bathrooms 1 Kitchen - Transport length 5,68 Transport width 2,28 Transport height 2,33 Dimension terrace 3,19×1,91 Length 5,68 B1 CHASSIS 0 Inflatable wheels 0 Detachble hook 0 Leveling Feet X Powder coated steel chassis X Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR X Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X STETERIOR WALLS X PVC transport protection X Sturdy round wooden beams fi 100 mm X Cof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0		
Area 18,15 Number of beds 2 Number of bedrooms 1 Number of bathrooms 1 Kitchen - Transport length 5,68 Transport width 2,28 Transport height 2,33 Dimension terrace 3,19×1,91 Length 5,68 B1 CHASSIS 0 Inflatable wheels 0 Detachble hook 0 Leveling Feet X Powder coated steel chassis X Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR X Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X STETERIOR WALLS X PVC transport protection X Sturdy round wooden beams fi 100 mm X Cof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0	Height interior/exterior	3,15/3,70
Number of bedrooms 1 Number of bathrooms 1 Kitchen - Transport length 5,68 Transport width 2,28 Transport height 2,33 Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS 0 Inflatable wheels 0 Detachble hook 0 Leveling Feet X Powder coated steel chassis X Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR Vynil flooring X Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS X PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0		18,15
Number of bathrooms 1 Kitchen - Transport length 5,68 Transport width 2,28 Transport height 2,33 Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS S Inflatable wheels 0 Detachble hook 0 Leveling Feet X Powder coated steel chassis X Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS X PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0	Number of beds	2
Kitchen - Transport length 5,68 Transport width 2,28 Transport height 2,33 Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS Stransport Wells Inflatable wheels O Detachble hook O Leveling Feet X Powder coated steel chassis X Cointainer transport kit O Anchoring kit O Detachble hook with third wheel O B2 FLOOR X Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS X PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Number of bedrooms	1
Transport length 5,68 Transport width 2,28 Transport height 2,33 Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS Stransport beight Inflatable wheels O Detachble hook O Leveling Feet X Powder coated steel chassis X Cointainer transport kit O Anchoring kit O Detachble hook with third wheel O B2 FLOOR X Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS X PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Number of bathrooms	1
Transport width 2,28 Transport height 2,33 Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS Inflatable wheels 0 Detachble hook 0 Leveling Feet X Powder coated steel chassis X Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR X Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS V PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Kitchen	-
Transport height 2,33 Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS Inflatable wheels 0 Detachble hook 0 Leveling Feet X Powder coated steel chassis X Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR X Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS V PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0	Transport length	5,68
Dimension terrace 3,19x1,91 Length 5,68 B1 CHASSIS Inflatable wheels O Detachble hook O Leveling Feet X Powder coated steel chassis X Cointainer transport kit O Anchoring kit O Detachble hook with third wheel O B2 FLOOR X Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS X PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Transport width	2,28
Length5,68B1 CHASSISInflatable wheelsODetachble hookOLeveling FeetXPowder coated steel chassisXCointainer transport kitOAnchoring kitODetachble hook with third wheelOB2 FLOORVynil flooringXMoisture resistant CTB-H floor 19 mm with ALU isolation floor foilXB3 EXTERIOR WALLSPVC transport protectionXSturdy round wooden beams fi 100 mmXPowder coated steel connectorsXRoof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)XRoof canvas TenCate Campshield FR1 420g/m2 (FR)O	Transport height	2,33
B1 CHASSIS Inflatable wheels O Detachble hook O Leveling Feet X Powder coated steel chassis X Cointainer transport kit O Anchoring kit O Detachble hook with third wheel O B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Dimension terrace	3,19x1,91
Inflatable wheels O Detachble hook O Leveling Feet X Powder coated steel chassis X Cointainer transport kit O Anchoring kit O Detachble hook with third wheel O B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Length	5,68
Detachble hook O Leveling Feet X Powder coated steel chassis X Cointainer transport kit O Anchoring kit O Detachble hook with third wheel O B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	B1 CHASSIS	
Leveling Feet X Powder coated steel chassis X Cointainer transport kit O Anchoring kit O Detachble hook with third wheel O B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Inflatable wheels	0
Powder coated steel chassis X Cointainer transport kit O Anchoring kit O Detachble hook with third wheel O B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Detachble hook	0
Cointainer transport kit Anchoring kit Detachble hook with third wheel O B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Leveling Feet	X
Anchoring kit O Detachble hook with third wheel O B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Powder coated steel chassis	X
Detachble hook with third wheel O B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Cointainer transport kit	0
B2 FLOOR Vynil flooring X Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Anchoring kit	0
Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Detachble hook with third wheel	0
Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil X B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	B2 FLOOR	
B3 EXTERIOR WALLS PVC transport protection X Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Vynil flooring	X
PVC transport protection Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil	Χ
Sturdy round wooden beams fi 100 mm X Powder coated steel connectors X Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	B3 EXTERIOR WALLS	
Powder coated steel connectors Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	PVC transport protection	X
Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR) X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O	Sturdy round wooden beams fi 100 mm	X
Roof canvas TenCate Campshield FR1 420g/m2 (FR)	Powder coated steel connectors	X
	Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	X
Interior canyas TenCate Campshield FR2 290g/m2 (FR)	Roof canvas TenCate Campshield FR1 420g/m2 (FR)	0
interior carrido forfeda Camponicia i N2 200g/iii2 (i N)	Interior canvas TenCate Campshield FR2 290g/m2 (FR)	0



Chassis cover PVC 20cm	Χ
Chassis cover PVC 45cm	0
Window with mosquito net	X
Internal canvas rolo	X
Front entrance opening section on zipper	X
Side wall opening sections on zipper	0
Mosquito net for entrance opening	0
External cristal PVC rolo with Vecro tape	X
Mosquito net preinstallation on entrance doors	X
Pad lock system	X
Master key for pad lock system	0
Stick for door zipper	X
Detachable front side of the canvas	X
Winter cover	0
Interior canvas Subrenat CAMP420PC 2I 420g/m2	X
C0 INTERIOR	
Furnishing Decor - STANDARD	GOLD CRAFT OAK
Textile Combination - STANDARD	TENT
Cushions in bedrooms	0
Bedspread in master bedroom	0
Interior doors 25mm	X
Bathroom and toilet door with lock	X
Interior partition walls	X
Mosquito net for beds	0
Kitchen profiles in black color	X
Fire extinguisher (1kg)	0
Fire blanket	0
Smoke detector	0
C1 LIVING ROOM	
Mirror in living room	X
Adria Bluetooth sound system	Ο
C2 KITCHEN	
Shelving in kitchen	X




Selfstanding white fridge with freezer	Χ
LED lightning above kitchen counter	X
C3 MASTER BEDROOM	
Safe in master bedroom	0
Double bed with slatted bed base	160x200
Foam mattresses (25 kg/m2) in master bedroom	Χ
Foam mattresses (35 kg/m2) in master bedroom	0
Ottoman upholstered bed in master bedroom	0
Topper for matresses in master bedroom	0
Upholstered bed in master bedroom	0
Wooden bed upholstery in master bedroom	0
Upholstered headboard in master bedroom	0
Bedside tables in master bedroom	Χ
Wardrobe in master bedroom	Χ
Ambiental LED lightning under the shelf in master bedroom	0
Reading LED lights in master bedroom	Χ
Electrical socket in master bedroom	Χ
C6 BATHROOM	
Shower cabin	90x75
Shower swing doors with security glass	Χ
Shower PVC wall	Χ
Shower rail with sliding shower holder	Χ
Wash-stand with mixer tap	Χ
Mirror with shelf in bathroom	Χ
Ceramic toilet with toilet seat	Χ
PVC toilet tank with saving function	Χ
Towel holder	Χ
Toilet roll holder	Χ
Hangers in bathroom (2 pcs)	Χ
Hairdryer in bathroom	0
Electrical socket in bathroom	X
Extractor fan in bathroom 1	Χ

D1 WATER AND GAS



External connector to water facilities with pressure regulator	X
Water filter in technical box	0
PVC water pipes Speedfit®	X
Central waste water outlet	0
Internal access to water heater - door with lock	X
Electrical water heater 50l	X
Insulated water pipes with electrical heating	0
D2 ELECTRICITY	
External connection 1 x 32A, 1P+N+E	X
External connection 3 x 32A, 3P+N+E	0
Black flush installations, sockets and switches	X
Reading LED lights in all rooms	X
Ambiental LED lightning in living room and sleeping rooms	0
TV socket	X
USB socket	X
UTP socket	0
D3 MULTIMEDIA	
TV holder	0
LED TV 32 inch	0
TV holder with double fold function	0
D4 HEATING AND COOLING	
Air-conditioning white - mono split	0
Electrical heater in living room	0
Electrical heater in master bedroom	0
Electrical towel heater in bathroom 1	0
Electrical underfloor heating system Ebecco ® in all rooms	0
E1 EXTERIOR EQUIPMENT	
Extended terrace from Larchwood	Ο
Stairs on the whole lenght	0
Covered terrace from Larchwood, canvas PVC Sattler Complain 745	X
7M4 640g/m2	
Table with chairs	0





Lounge furniture with two chairs and coffe table	0
Sun loungers (2 pcs)	0



Legal Notice

The information on this website is provided "as is" and without warranty of any kind, expressed or implied, including (but not limited to) any implied warranties of merchantability and non- infringement of third party rights. While the information provided is believed to be accurate, it may include errors or inaccuracies. In no event shall Adria Home be liable to any person for any special, indirect or consequential damages relating to this material, unless caused by gross negligence or intentional misconduct. The purpose of this website is illustrative. The website may show visuals which may include some elements not belonging to the standard equipment or portray products which may not be available in all markets. Products may change in terms of technical specification and commercial details and in relation to specific regulations. You are advised to always contact your selected Adria representative to obtain all detailed information prior to purchasing.

Copyright

Copyright© Adria Home Ltd., Črnomelj, Slovenia 2024/2025. All rights reserved. The text, images, graphics, sound files, animation files, video files, and their arrangement on the Adria Home website are all subject to copyright and other intellectual property protection. These objects may not be copied for commercial use or distribution, nor may these objects be modified or reposted to other sites. Adria Home website may contain images whose copyrights are attributable to third parties.

Adria Home Ltd.

Kanižarica 135, SI-8340 Črnomelj,Slovenija, +386 (0) 7 35 69 100 info@adria-home.com

adria-home.com









